

Afib

Achievement

ACEI/ARB or ARNI Prescribed Prior to Discharge (When LVEF \leq 40)

Percentage of patients with a diagnosis of AF or atrial flutter, with HF with an LVEF \leq 40, who were prescribed ACEI, ARB or ARNI prior to discharge.

Program Titles

Heart Failure Medications: ACE Inhibitors, ARBs, and ARNIs

Beta Blocker Prescribed Prior to Discharge (when LVEF \leq 40)

Percentage of patients, age \geq 18 y, with a diagnosis of AF or atrial flutter with an LVEF \leq 40 who were prescribed a beta blocker prior to discharge.

Program Titles

Heart Failure Medications: Beta Blockers

Lopressor

Toprol XL

FDA approved Anticoagulation Prescribed Prior to Discharge

Percent of patients, age 18 and older, with nonvalvular, valvular and bioprosthetic valve atrial fibrillation or atrial flutter who were discharged on warfarin or another Food and Drug Administration (FDA) approved other anticoagulant drug

Program Titles

Warfarin

Warfarin: Possible Side Effects

Statin at discharge in AF patients with CAD, CVA/TIA, PVD, or Diabetes

Percent of patients with either CAD, CVA/TIA, PVD or diabetes who were prescribed a statin at hospital discharge

Program Titles

Heart Attack Medications: Statins

High Cholesterol: Understanding Statins

Quality

Anticoagulation therapy education

Percent of Atrial Fibrillation or Atrial Flutter patients or their caregivers who were given education and/or educational materials during the hospital stay addressing anticoagulation therapy.

Program Titles

Anticoagulants: How a Blood Clot Forms
Anticoagulants: Possible Side Effects
Anticoagulants: The Danger of Blood Clots
General Safety Tips While Taking an Anticoagulant
Taking Your Anticoagulant Safely
The AFib Five: John Criswell's Story
The AFib Five: Maricela Wilson's Story
What is an Anticoagulant?

Atrial fibrillation patient education

Percent of Atrial Fibrillation or Atrial Flutter patients or their caregivers who were given education and/or educational materials during the hospital stay addressing ALL of the following: Risk factors, Stroke Risk, Management, Medication Adherence, Follow-up, When to call provider

Program Titles

About AFib
AFib Hospital Discharge
Antiarrhythmic Medications
Basic Facts About Atrial Fibrillation
Irregular Heartbeats: Restoring the Rhythm (Part 1)
Irregular Heartbeats: Restoring the Rhythm (Part 2)
Irregular Heartbeats: Restoring the Rhythm (Part 3)
Irregular Heartbeats: Restoring the Rhythm (Part 4)
Living with Atrial Fibrillation
Managing AFib Medications
Managing My AFib, a Patient's Story
Treating Atrial Fibrillation
Understanding Atrial Fibrillation
What Are Electrophysiologic Tests?
What is Ablation?
What is an Arrhythmia?

What Is Atrial Fibrillation?

What is Electrical Cardioversion?

Smoking Cessation

Percent of patients with a history of smoking cigarettes, who are given smoking cessation advice or counseling during hospital stay. For purposes of this measure, a smoker is defined as someone who has smoked cigarette anytime during the year prior to hospital arrival.

Program Titles

Addressing Your Habit and Behaviors

Benefits to Staying Quit

Coping with Emotional Triggers

Coping with Nicotine Withdrawal

Creating a Quit Tobacco Plan

Discovering Your Triggers

How Can I Avoid Weight Gain When I Stop Smoking?

How Can I Quit Smoking?

Identifying Your Reasons to Quit

Keeping Motivated

Preparing for Nicotine Withdrawal

Preparing to Quit

Products that Can Help with Withdrawal

Setting Your Quit Date

Social and Environmental Triggers

The Need for Support

Understanding Slips and Relapses

Warfarin at Discharge for Valvular Atrial Fibrillation or Atrial Flutter Patients

Percent of eligible valvular Atrial Fibrillation or Atrial Flutter patients discharged on warfarin.

Reporting

Appropriate prescription of antiplatelet (including aspirin) and oral anticoagulation therapy prior to discharge in patients with atrial fibrillation and coronary artery and/or vascular disease

Percent of Atrial Fibrillation or Atrial Flutter patients with coronary artery and/or vascular disease discharged or BOTH an Antiplatelet (including Aspirin) and an Anticoagulant at Hospital Discharge.

Screening for Obstructive Sleep Apnea

Percent of Atrial Fibrillation or Atrial Flutter patients who were screened for obstructive sleep apnea.